

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

MANTER: Journal of Parasite Biodiversity

Parasitology, Harold W. Manter Laboratory of

---

4-21-2021

## A Guide to Helminth Parasites Reported from Shorebirds (Charadriidae) from the Americas

Albert G. Canaris

PO Box 717, Hamilton, Montana, [agcanaris@gmail.com](mailto:agcanaris@gmail.com)

Sofia Capasso

Centro de Estudios Parasitológicos y de Vectores (CEPAVE), Bueno Aires, [capasso.sofia@gmail.com](mailto:capasso.sofia@gmail.com)

Gay J. Canaris

Billings Clinic, Billings, Montana, [htcranch@gmail.com](mailto:htcranch@gmail.com)

Follow this and additional works at: <https://digitalcommons.unl.edu/manter>



Part of the [Biodiversity Commons](#), [Parasitology Commons](#), and the [Zoology Commons](#)

---

Canaris, Albert G.; Capasso, Sofia; and Canaris, Gay J., "A Guide to Helminth Parasites Reported from Shorebirds (Charadriidae) from the Americas" (2021). *MANTER: Journal of Parasite Biodiversity*. 16.  
<https://digitalcommons.unl.edu/manter/16>

This Article is brought to you for free and open access by the Parasitology, Harold W. Manter Laboratory of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in MANTER: Journal of Parasite Biodiversity by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# A Guide to Helminth Parasites Reported from Shorebirds (Charadriidae) from the Americas

Albert G. Canaris,<sup>1</sup> Sofia Capasso,<sup>2</sup> and Gay J. Canaris<sup>3</sup>

<sup>1</sup> PO Box 717, Hamilton, Montana 59840, USA

<sup>2</sup> Centro de Estudios Parasitológicos y de Vectores (CEPAVE), CCT La Plata (CONICET-UNLP),  
 Calle 120 s/n entre 61 y 62, 1900 La Plata, Buenos Aires, Argentina

<sup>3</sup> Billings Clinic, 801 N. 29th Street, Billings, Montana 59107-7000, USA

## Contents

Introduction . . . . .	1
Table I. Checklist of helminth parasites reported for the shorebird family Charadriidae from the Americas . . . . .	2
Table II. Trematode parasite-host list for shorebird family Charadriidae of the Americas . . . . .	8
Table III. Cestode parasite-host list for shorebird family Charadriidae from the Americas . . . . .	10
Table IV. Nematode parasite-host list for shorebird family Charadriidae of the Americas . . . . .	11
Table V. Acanthocephala parasite-host list for shorebird family Charadriidae of the Americas . . . . .	12
Tables VI. (A, B, C, and D) Summary data compiled from Tables I–V and Literature Cited . . . . .	13
Literature Cited . . . . .	15

## Introduction

The shorebird family Charadriidae in the Americas consists of 21 native and 7 vagrant species. Members of the family occupy a diversity of open habitats, ranging from Arctic tundra during nesting, coastal sands, and mudflats to inland prairies, savannas, and wetlands. Some native plovers migrate from nesting grounds in North America to wintering grounds in South America (Hayman et al., 1986; Paulson, 2005; Winkler et al., 2020).

Our search of the literature revealed the following: 17 of 28 host species infected with helminth parasites, 153 helminth species, and 199 infections involving 13 geographic areas. The purpose of this guide is to provide easy access to this data and information relevant to helminth infections in charadriids from the Americas. Information is summarized in Tables I–VI.

Table I lists in sequence host, parasite, geographic location, and attenuated citation. Common names are given for each host. Host names are listed alphabetically, and older scientific names used in the literature search are in parentheses. Host geographic distribution is abbreviated as follows: NA = North America, M = Mexico, CA = Central America, SA = South America, A = Americas (NA + M + CA + SA). If present, parasite species are listed in the following order: trematode, cestode, nematode, and acanthocephala. The helminth species names are listed as they were given in the cited literature.

Tables II–V are parasite-host lists for trematode, cestode, nematode, and acanthocephalan species and host of the species associated with the parasite. Table VI is a summary of information extracted from the tables and literature cited section.

**Table I.** Checklist of helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
<b>Snowy Plover</b> A			
<i>Charadrius nivosus</i> (alexandrinus)	<i>Paramaritrempsis solielangi</i>	Belize	Deblock, S., and A. G. Canaris. 2000
	<i>Gyrocoelia miligani</i>	Michigan, Texas	Webster, J. D. 1951
	<i>Shipleyia inermis</i>	Michigan, Texas	Webster, J. D. 1951
	<i>Nadejdolepis litoralis</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
	<i>Nadejdolepis paranitidulans</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
<b>Puna Plover</b> SA			
<i>Charadrius alticola</i>	No reference found	Andes	Hayman, P., et al. 1986
<b>Collared Plover</b> A			
<i>Charadrius collaris</i>	<i>Gyrocoelia crassa</i>	Central and South America	Yamaguti, S. 1959
	<i>Gyrocoelia fuhrmani</i>	Mexico, South America	Rêgo, A. A. 1968
	<i>Hymenolepis collariella</i>	Mexico, Texas	Coil, W. H. 1956; Deblock, S., and F. Rosé. 1962
	<i>Hymenolepis hughesi</i>	Guadeloupe	Graber, M., and J. Euzéby. 1976b
	<i>Taenia charadrii</i>	Brazil	Hartwich, G., and I. Kiliás. 1992
	<i>Sciadiocara umbellifera</i>	Peru	Wong, P. L., and R. C. Anderson. 1991
	<i>Stellocaronema skrjabini</i>	Peru	Wong, P. L., and R. C. Anderson. 1991
<b>Two-Banded Plover</b> SA			
<i>Charadrius falklandicus</i>	<i>Notocotylus chionis</i>	Argentina-Patagonia	Capasso, S., et al. 2017
	<i>Odhneria odhneri</i>	Argentina-Patagonia	Capasso, S., et al. 2017
	<i>Tetrameres megaphasmiata</i>	Argentina-Patagonia	Cremonte, F. M., et al. 2001
<b>Ringed Plover</b> NA			
<i>Charadrius hiaticula</i>	<i>Paramonostomum actidis</i>	Puerto Rico	Thatcher, V. E. 1993
	<i>Aploparaksis brachyphallos</i>	North America	Yamaguti, S. 1959
	<i>Eulimdana lari</i>	North America?	Hoberg, E. P. 1986
	<i>Eulimdana sonni</i>	Canada	Bartlett, C. M. 1992
<b>Piping Plover</b> NA			
<i>Charadrius melodus</i>	<i>Gynaecotyla sippiwissettensis</i>	USA	Yamaguti, S. 1971
	<i>Hymenolepis hughesi</i>	Texas; Guadeloupe	Webster, J. D. 1947; Graber, M., and J. Euzéby. 1976a; Graber, M., and J. Euzéby. 1976b
	<i>Progynotaenia americana</i>	Michigan, Texas	Webster, J. D. 1947
	<i>Chevreuxia americana</i>	Texas	Wong, P. L., and R. C. Anderson. 1991
<b>Rufous-chested Dotterel</b> SA			
<i>Charadrius modestus</i> (Zonibyx)	<i>Porrocaecum falklandicus</i>	Florida	Yamaguti, S. 1961
<b>Mountain Plover</b> NA, M			
<i>Charadrius montanus</i> ( <i>Podasocys</i> and <i>Eupoda</i> )	No reference found	Great Plains, Arizona, California, Texas, Mexico	Paulson, D. 2005
<b>Semipalmated Plover</b> A			
<i>Charadrius semipalmatus</i>	<i>Cyclocoelum obscurum</i>	Cuba	Macko, J. K. 1969
	<i>Echinochasmus</i> sp.	Florida	Loftin, H. 1960
	<i>Notocotylus stagnicola</i>	USA	Yamaguti, S. 1971
	<i>Levinseniella carcinidis</i>	USA	Doss, M. A., and M. M. Farr. 1969a
	<i>Levinseniella cruzi</i>	California	Yamaguti, S. 1971
	<i>Maritrema gratiosum</i>	Oklahoma, USA	Yamaguti, S. 1971
	<i>Maritrema ovatum</i>	North America	Yamaguti, S. 1971
	<i>Microphallus claviformes</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Microphallus kinsellai</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
	<i>Paramaritrempsis solielangi</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
	<i>Paramonostomum actidis</i>	Puerto Rico	Cable, R. M., et al. 1960

**Table I.** (cont.) Helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
	<i>Hymenolepis hughesi</i>	Guadeloupe	Graber, M., and J. Euzéby. 1976b
	<i>Nadejdolepis litoralis</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
	<i>Paraliga charadrii</i>	Manitoba, New Brunswick, Canada, Delaware, USA, Venezuela	Didyk, A. S., and M. D. B. Burt. 1998
	<i>Progynotaenia americana</i>	Texas; Belize	Webster, J. D. 1951; Canaris, A. G., and J. M. Kinsella. 2001
	<i>Chevreuxia americana</i>	Florida, USA	Wong, P. L., and R. C. Anderson. 1991
	<i>Skrjabinoelava horrida</i>	Cuba	Barus, V., and N. L. Hernandez. 1971
	<i>Skrjabinoelava morrisoni</i>	Canada, USA	Wong, P. L., and R. C. Anderson. 1990b
	<i>Skrjabinoelava pusillae</i>	Alberta, Saskatchewan, Manitoba, Ontario, New Brunswick, Nova Scotia; Florida, Texas	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1990b
	<i>Skrjabinoelava semipalmatae</i>	Texas; California	Wong, P. L., and R. C. Anderson. 1987; Wong, P. L., and R. C. Anderson. 1990b
	<i>Skrjabinoelava</i> sp.	Alberta, Saskatchewan, Manitoba, Ontario, New Brunswick, Nova Scotia, California	Wong, P. L., et al. 1990
	<i>Skrjabinoelava tupacincal</i>	New Brunswick	Wong, P. L., and R. C. Anderson. 1990b
	<i>Stellocaronema skrjabini</i>	Puerto Rico; Alberta, Manitoba, California, Texas, USA, Peru	Whittaker, F. H., et al. 1970; Wong, P. L., and R. C. Anderson. 1991
	<i>Viktorocara capillaris</i>	Alberta, Manitoba; Ontario	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1991
	<i>Viktorocara limosae</i>	Alberta, Manitoba; California, USA	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1991
	<i>Plagiorhynchus charadrii</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
<b>Killdeer A</b>			
<i>Charadrius vociferous</i> ( <i>Oxyechus</i> )	<i>Collyriclum</i> sp.	Oklahoma	Riggins, M. A. 1953
	<i>Cyclocoelum lanceolatum</i>	California; Colorado; New Mexico, Texas	Hannum, C. A., and B. E. Wilson. 1934; Eckman, M. K. 1968; Blaylock, R. B. 1989
	<i>Cyclocoelum obscurum</i>	Colorado	Blaylock, R. B. 1989
	<i>Cyclocoelum triangularis</i>	Oklahoma	Riggins, M. A. 1953
	<i>Echinoparyphium aconiatum</i>	Colorado, New Mexico, Texas	Blaylock, R. B. 1989
	<i>Echinoparyphium baculus</i>	Texas	Blaylock, R. B. 1989
	<i>Echinostoma</i> sp.	Colorado	Eckman, M. K. 1968
	<i>Microphallus quechuasensis</i>	Peru	Caballero, C. E., and H. N. Ibáñez. 1970
	<i>Notocotylus attenuatus</i>	Colorado, New Mexico	Blaylock, R. B. 1989
	<i>Plagiorchis vitellatus</i>	Colorado	Blaylock, R. B. 1989
	<i>Stomylotrema vicarium</i>	Florida	Forrester, D. J., and M. G. Spalding. 2003
	<i>Tanaisia fedtschenkoi</i>	Georgia; Colorado; British Columbia; New Mexico, Texas; Florida	Byrd, E. E., and J. F. Denton. 1950; Eckman, M. K. 1968; Jensen, D. N. 1971; Blaylock, R. B. 1989; Forrester, D. J., and M. G. Spalding. 2003
	<i>Transcoelom</i> sp.	Colorado	Blaylock, R. B. 1989
	<i>Uvitellina macroisophaga</i>	California; Oklahoma	Hannum, C. A., and B. E. Wilson. 1934; Riggins, M. A. 1953
	<i>Uvitellina psuedocotylea</i>	USA	Doss, M. A., and M. M. Farr. 1969b
	<i>Anomotaenia bacilligera</i>	Oklahoma	Riggins, M. A. 1953
	<i>Anomotaenia filovata</i>	Nebraska; Colorado; New Mexico, Texas	Clark, D. T. 1952; Eckman, M. K. 1968; Blaylock, R. B. 1989
	<i>Aploparaksis</i> sp.	Colorado; Texas	Eckman, M. K. 1968; Blaylock, R. B. 1989

**Table I.** (cont.) Helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
	<i>Choanotaenia macracantha</i>	Oklahoma	Riggins, M. A. 1953
	<i>Choanotaenia</i> sp.	Colorado	Eckman, M. K. 1968
	<i>Gyrocoelia miligani</i>	Antigua; Oklahoma	Baer, J. G. 1940; Riggins, M. A. 1953
	<i>Megalacanthus</i> sp.	Florida	Forrester, D. J., and M. G. Spalding. 2003
	<i>Monopylidium</i> sp.	Colorado, New Mexico, Texas	Blaylock, R. B. 1989
	<i>Progynotaenia americana</i>	Oklahoma; Oregon, Washington; Colorado; Florida; Cuba	Riggins, M. A. 1953; Weatherly, N. F., and A. G. Canaris. 1961; Eckman, M. K. 1968; Forrester, D. J., and M. G. Spalding. 2003; Macko, J. K., and M. Spakulova. 1998
	<i>Proterogynotaenia neoarctica</i>	Michigan, Texas; Oklahoma; Colorado	Webster, J. D. 1951; Riggins, M. A. 1953; Eckman, M. K. 1968
	<i>Proterogynotaenia odhneri</i>	Cuba	Macko, J. K., and M. Spakulova. 1998
	<i>Capillaria contorta</i>	Colorado; Texas	Eckman, M. K. 1968; Blaylock, R. B. 1989
	<i>Chevreuxia americana</i>	Colorado, New Mexico, Texas; Alberta, Manitoba	Blaylock, R. B. 1989; Wong, P. L., et al. 1990
	<i>Chevreuxia</i> sp.	Colorado	Eckman, M. K. 1968
	<i>Chevreuxia vanelli</i>	Florida	Forrester, D. J., and M. G. Spalding. 2003
	<i>Dispharynx nasuta</i>	Canada; Florida	Wong, P. L., et al. 1990; Forrester, D. J., and M. G. Spalding. 2003
	<i>Dispharynx spiralis</i>	Colorado	Eckman, M. K. 1968
	<i>Oxyspirura</i> sp.	Texas	Blaylock, R. B. 1989
	<i>Schistorophus laciniatus</i>	Oklahoma	Riggins, M. A. 1953
	<i>Skrjabinocerca prima</i>	Alberta	Wong, P. L., et al. 1990
	Spirurid larvae	Florida	Forrester, D. J., and M. G. Spalding. 2003
	Spiruroidean nematode	Oklahoma	Riggins, M. A. 1953
	<i>Stellocaronema skrjabini</i>	Texas	Wong, P. L., and R. C. Anderson. 1991
	<i>Streptocara</i> sp.	Alberta	Wong, P. L., et al. 1990
	<i>Strongyloides</i> sp.	Colorado, New Mexico, Texas; Florida	Blaylock, R. B. 1989; Forrester, D. J., and M. G. Spalding. 2003
	<i>Viktorocara capillaris</i>	Alberta, Manitoba, Ontario	Wong, P. L., et al. 1990
	Acanthocephalan larvae	Florida	Forrester, D. J., and M. G. Spalding. 2003
	<i>Mediorhynchus papillosus</i>	Colorado	Eckman, M. K. 1968
	<i>Mediorhynchus robustus</i>	Oklahoma	Riggins, M. A. 1953
	<i>Polymorphus minutus</i>	Colorado; Texas	Eckman, M. K. 1968; Blaylock, R. B. 1989
<b>Wilson's Plover A</b>			
<i>Charadrius wilsonia</i> (Pagolla)	<i>Acanthoparyphium pagollae</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Gynaecotyla adunca</i>	USA	Doss, M. A., and M. M. Farr. 1969a
	<i>Levinseniella carteretensis</i>	North Carolina	Coil, W. H., and R. Heard. 1966
	<i>Levinseniella hunteri</i>	Louisiana	Heard III, R. W. 1968
	<i>Levinseniella leptophallus</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Maritreminoides patulum</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Mecynophallus glandulosus</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Megalophallus reamsi</i>	Florida Keys	Overstreet, R. M., and R. W. Heard III. 1995
	<i>Microphallus claviformes</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Neivaia cymbium</i>	Brazil	Fernandes, B. M. M., et al. 2015
	<i>Odhneria odhneri</i>	Georgia	Sinclair, N. R. 1971
	<i>Paramonostomum actidis</i>	Puerto Rico	Cable, R. M., et al., 1960
	<i>Parorchis holotestis</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Pseudospelotrema charadrii</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Tanaisia valida</i>	Northern Colombia	Rietschel, G., and B. Werding. 1978
	<i>Zygocotyle lunata</i>	North America; Brazil	Yamaguti, S. 1971; Fernandes, B. M. M., et al. 2015
	<i>Gyrocoelia pagollae</i>	North Carolina, Texas;	Coil, W. H. 1963;

**Table I.** (cont.) Helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
<i>Charadrius</i> sp.	<i>Paraprogynotaenia jimenezi</i>	Puerto Rico	Cable, R. M., and R. M. E. Myers. 1956
	<i>Ancyracanthopsis winegardi</i>	Cuba	Rysavy, B. 1996
	<i>Sciadiocara umbellifera</i>	Texas	Wong, P. L., and R. C. Anderson. 1990b
		Cuba; Texas	Barus, V., and N. L. Hernandez. 1971;
	<i>Skrjabinoclava horrida</i>	Texas; Cuba	Wong, P. L., and R. C. Anderson. 1991
			Wong, P. L., and R. C. Anderson. 1983;
	<i>Skrjabinoclava pusillae</i>	New Brunswick, Canada	Barus, V., and N. L. Hernandez. 1971
	<i>Skrjabinoclava semipalmatae</i>	California	Wong, P. L., and R. C. Anderson. 1987
	<i>Skrjabinoclava wilsonae</i>	Texas	Wong, P. L., and R. C. Anderson. 1987
	<i>Tropisurus nouveli</i>	Cuba	Wong, P. L., and R. C. Anderson. 1990b
	<i>Viktorocara capillaris</i>	Texas	Barus, V., and N. L. Hernandez. 1971
	<i>Viktorocara schejkini</i>	Cuba	Wong, P. L., and R. C. Anderson. 1990b
	<i>Plagiorhynchus crassicolle</i>	Cuba	Barus, V., and N. L. Hernandez. 1971
	<i>Leucochloridium propinqua</i>	North America	Barus, V., and N. L. Hernandez. 1971
	<i>Spelotrema excellens</i>	USA	Yamaguti, S., 1971
	<i>Tanaisia fedtschenkoi</i>	USA	Yamaguti, S., 1971
Tawny-throated Dotterel SA <i>Oreopholus ruficollis</i>	<i>Capillaria contorta</i>	North America, South America	Yamaguti, S. 1961
	<i>Porrocaecum ensicaudatum</i>	North America	Yamaguti, S. 1961
Diademed Plover SA <i>Phegornis mitchellii</i>	<i>Oxynema</i> sp.	Argentina	Drago, F. B., et al. 2020
	No reference found	Andes in Argentina, Chile, Peru	Hayman, P., et al. 1986
American Golden Plover A <i>Pluvialis dominica</i>	<i>Levinseniella propinqua</i>	British Columbia, Canada	Ching, H. L. 1965
	<i>Progynotaenia americana</i>	Canada	Mahon, J. 1956
	<i>Porrocaecum ensicaudatum</i>	Hawaii	van Riper, S. G., and C. van Riper. 1984
	<i>Porrocaecum semiteres</i>	Hawaii	van Riper, S. G., and C. van Riper. 1984
	<i>Arythmorhynchus comptus</i>	Alaska	Van Cleave, H. J., and R. Rausch. 1950
	<i>Mediorhynchus orientalis</i>	Hawaii	Schmidt, G. D., and R. E. Kuntz. 1977
Pacific Golden Plover NA <i>Pluvialis fulva</i>	<i>Plagiorhynchus charadrii</i>	Hawaii	Amin, O. M., et al. 1999
	<i>Echinostoma charadrii</i>	USA	Doss, M. A., and M. M. Farr. 1969b
Black-bellied Plover A <i>Pluvialis squatarola</i> ( <i>Squatarola</i> )	<i>Cotylurus cornutus</i>	Alaska	Bondarenko, S. K., and V. I. Kontrimavichus. 1999
	<i>Echinoparyphium recurvatum</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Echinoparyphium</i> sp.	Florida	Forrester, D. J., and M. G. Spalding. 2003
	<i>Mecynophallus glandulosus</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Megalophallus reamesi</i>	Florida, British West Indies	Overstreet, R. M., and R. W. Heard III. 1995
		Gulf of Mexico	
	<i>Microphallus claviformes</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Microphallus sabanensis</i>	Venezuela	Fernandes, B. M. M., et al. 2015
	<i>Odhneria odhneri</i>	Georgia	Sinclair, N. R. 1971
	<i>Paramaritimopsis solielangi</i>	Belize	Canaris, A. G., and J. M. Kinsella. 2001
	<i>Parorchis holotestis</i>	Puerto Rico	Cable, R. M., et al. 1960
	<i>Probolocoryphe glandulosa</i>	Puerto Rico	Yamaguti, S. 1971
	<i>Psilochasmus</i> sp.	Florida	Loftin, H. 1960
	<i>Stephanoprora</i> sp.	Florida	Loftin, H. 1960
	<i>Stomylotrema fastosum</i>	Brazil	Fernandes, B. M. M., et al. 2015

**Table I.** (cont.) Helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
	<i>Anomotaenia ericetorum</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Aploparaksis diagonalis</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Hymenolepis clandestina</i>	Guadeloupe	Graber, M., and J. Euzeby. 1976b
	<i>Kowalewskiella cingulifera</i>	Guadeloupe	Graber, M., and J. Euzeby. 1976b
	<i>Liga brevis</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Liga</i> sp.	Florida	Loftin, H. 1960
	<i>Proterogynotaenia texanum</i>	Texas; Belize	Huey, R. 1985; Canaris, A. G., and J. M. Kinsella. 2001
	<i>Proterogynotaenia variabilis</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Schistocephalus solidus</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
	<i>Trichocephaloides beauporti</i>	Guadeloupe	Graber, M., and J. Euzeby. 1976a
	<i>Wardium squatarolae</i>	Alaska; Bristol Bay, Alaska	Bondarenko, S. K., and V. I. Kontrimavichus. 1999; Canaris, A. G., and J. M. Kinsella. 2000
	<i>Ancyracanthopsis winegardi</i>	Alberta; Manitoba; Gulf of Mexico, USA	Wong, P. L., et al. 1990; Anderson, R. C., et al. 1996
	<i>Chevreuria americana</i>	Alberta, Manitoba; California, Texas, USA, Peru	Wong, P. L., and R. C. Anderson. 1991
	<i>Desmidocercella numidica</i>	British Columbia, Quebec, New Brunswick	Wong, P. L., et al. 1990
	<i>Eucoleus trilobus</i>	Alaska	Bondarenko, S. K., and V. I. Kontrimavichus. 1999
	<i>Scidiocara bihamata</i>	Alberta, Manitoba	Wong, P. L., et al. 1990
	<i>Scidiocara umbellifera</i>	Alberta, Quebec; Washington, Texas, USA	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1991
	<i>Skrjabinocerca prima</i>	Alberta	Wong, P. L., et al. 1990
	<i>Skrjabinoclava bartlettiae</i>	Alberta, Louisiana	Wong, P. L., and R. C. Anderson. 1990b
	<i>Skrjabinoclava tupacincal</i>	Chile; Texas, Louisiana	Wong, P. L., and R. C. Anderson. 1987; Wong, P. L., et al. 1990
	<i>Skrjabinoclava wilsonae</i>	Alberta	Wong, P. L., and R. C. Anderson. 1990b
	<i>Streptocara</i> sp.	Alberta	Wong, P. L., et al. 1990
	<i>Viktorocara capillaris</i>	Alberta, Quebec, Texas; Washington, California, Louisiana	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1991
	<i>Viktorocara limosae</i>	Alberta, Manitoba, Quebec; California, USA	Wong, P. L., et al. 1990; Wong, P. L., and R. C. Anderson. 1991
	<i>Viktorocara schejkini</i>	Canada	Gibson, G. G. 1972
	<i>Polymorphus magnus</i>	Bristol Bay, Alaska	Canaris, A. G., and J. M. Kinsella. 2000
<b>Pied Plover</b> SA <i>Vanellus cayanus</i> ( <i>Hoploxypterus</i> )	No reference found	South America	Hayman, P., et al. 1986
<b>Southern Lapwing</b> M, CA, SA <i>Vanellus chilensis</i>	<i>Athesmia heterolecithodes</i>	Argentina	Lunaschi, L. I., et al. 2007
	<i>Athesmia</i> sp.	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Echinostoma aphylectum</i>	Brazil	Avancini, L. F. 2009
	<i>Leucochloridium parcum</i>	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Levinseniella cruzi</i>	Argentina; Mexico	Martorelli, S. R., and V. A. Ivanov. 1996; López, N. S. 1997
	<i>Neivaia cymbium</i>	Brazil	Avancini, L. F. 2009
	<i>Stomylotrema tagax</i>	Brazil	Fernandes, B. M. M., et al. 2015
	<i>Stomylotrema vicarium</i>	Brazil; Argentina	Avancini, L. F. 2009; Fernandes, B. M. M., et al. 2015
	<i>Gyrocoelia perversa</i>	Brazil	Avancini, L. F. 2009
	<i>Infula macrophallus</i>	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Infula</i> sp.	Chile	González-Acuña, D., et al. 2008



**Table I.** (cont.) Helminth parasites reported for the shorebird family Charadriidae from the Americas

Native hosts in the Americas	Parasite	Geographic location	Citation
	<i>Megalacanthus macracantha</i>	Brazil	Bona, F. V. 1994
	<i>Ancyracanthopsis coronata</i>	Brazil	Vicente, J. J., et al. 1995
	Capillariidae	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Dispharynx nasuta</i>	Chile; Brazil	González-Acuña, D., et al. 2008; Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Heterakis psophiae</i>	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Synhimantus nasuta</i>	Brazil	dos Santos, L. L., et al. 2020
	<i>Centrorhynchus</i> sp.	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Gigantorhynchida</i>	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Mediorhynchus</i> sp.	Brazil	Silveira, T. S., and C. Calegario-Marques. 2016
	<i>Plagiorhynchus</i> sp.	Chile; Brazil	González-Acuña, D., et al. 2008; Silveira, T. S., and C. Calegario-Marques. 2016
<b>Andean lapwing</b> SA <i>Vanellus resplendens</i>	<i>Aprocta ptiloscelidis</i>	Argentina	Drago, F. B., et al. 2020
<i>Vanellus</i> sp.	<i>Oxyspirura matogrosensis</i>	Brazil	Tavares, L. E. R., et al. 2017
<b>Vagrant and rare Charadriidae in the Americas</b>			
<b>Little Ringed Plover</b> <i>Charadrius dubius</i>	No reference found	Vagrant to Caribbean and Alaska	Chesser, R. T., et al. 2019
<b>Greater Sand-Plover</b> <i>Charadrius leschenaultii</i>	No reference found	Vagrant California, Florida	Chesser, R. T., et al. 2019
<b>Lesser Sand-Plover</b> <i>Charadrius mongolus</i>	No reference found	Rare in Alaska	Paulson, D. 2005
<b>Eurasian Dotterel</b> <i>Charadrius morinellus</i> ( <i>Eudromias</i> )	No reference found	Rare in Alaska, vagrant Pacific Coast to Baja, California	Paulson, D. 2005
<b>Oriental Plover</b> <i>Charadrius veredus</i>	No reference found	Accidental/casual	Chesser, R. T., et al. 2019
<b>Eurasian Golden Plover</b> <i>Pluvialis apricaria</i>	No reference found	Exceptional vagrant to North America	Chesser, R. T., et al. 2019
<b>Northern Lapwing</b> <i>Vanellus vanellus</i>	No reference found	Vagrant E. North America, Newfoundland, rare Alaska, W to Ohio and S to Florida and Georgia, Bermuda, and the Caribbean	Chesser, R. T., et al. 2019



**Table II.** Trematode parasite-host list for shorebird family Charadriidae of the Americas

Parasite	Host
<i>Acanthoparyphium pagollae</i>	<i>Charadrius wilsonia</i>
<i>Athesmia heterolecithodes</i>	<i>Vanellus chilensis</i>
<i>Athesmia</i> sp.	<i>Vanellus chilensis</i>
<i>Collyriclum</i> sp.	<i>Charadrius vociferous</i>
<i>Cotylurus cornutus</i>	<i>Pluvialis squatarola</i>
<i>Cyclocoelum lanceolatum</i>	<i>Charadrius vociferous</i>
<i>Cyclocoelum obscurum</i>	<i>Charadrius semipalmatus</i> , <i>C. vociferous</i>
<i>Cyclocoelum triangularis</i>	<i>Charadrius vociferous</i>
<i>Echinochasmus</i> sp.	<i>Charadrius semipalmatus</i>
<i>Echinoparyphium aconiatum</i>	<i>Charadrius vociferous</i>
<i>Echinoparyphium baculus</i>	<i>Charadrius vociferous</i>
<i>Echinoparyphium recurvatum</i>	<i>Pluvialis squatarola</i>
<i>Echinoparyphium</i> sp.	<i>Pluvialis squatarola</i>
<i>Echinostoma aphyllactum</i>	<i>Vanellus chilensis</i>
<i>Echinostoma charadrii</i>	<i>Pluvialis fulva</i>
<i>Echinostoma</i> sp.	<i>Charadrius vociferous</i>
<i>Gynaecotyla adunca</i>	<i>Charadrius wilsonia</i>
<i>Gynaecotyla sippiwissettensis</i>	<i>Charadrius melodus</i>
<i>Leucochloridium parcum</i>	<i>Vanellus chilensis</i>
<i>Leucochloridium propinqua</i>	<i>Charadrius</i> sp.
<i>Levinseniella carcinidis</i>	<i>Charadrius semipalmatus</i>
<i>Levinseniella carteretensis</i>	<i>Charadrius wilsonia</i>
<i>Levinseniella cruzi</i>	<i>Charadrius semipalmatus</i> , <i>Vanellus chilensis</i>
<i>Levinseniella hunteri</i>	<i>Charadrius wilsonia</i>
<i>Levinseniella leptophallus</i>	<i>Charadrius wilsonia</i>
<i>Levinseniella propinqua</i>	<i>Pluvialis dominica</i>
<i>Maritrema gratiosum</i>	<i>Charadrius semipalmatus</i>
<i>Maritrema ovatum</i>	<i>Charadrius semipalmatus</i>
<i>Maritreminoides patulum</i>	<i>Charadrius wilsonia</i>
<i>Mecynophallus glandulosus</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Megalophallus reamesi</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Microphallus claviformes</i>	<i>Charadrius semipalmatus</i> , <i>C. wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Microphallus kinsellai</i>	<i>Charadrius semipalmatus</i>
<i>Microphallus quechuasensis</i>	<i>Charadrius vociferous</i>
<i>Microphallus sabanensis</i>	<i>Pluvialis squatarola</i>
<i>Neivaia cymbium</i>	<i>Charadrius wilsonia</i> , <i>Vanellus chilensis</i>
<i>Notocotylus attenuatus</i>	<i>Charadrius vociferous</i>
<i>Notocotylus chionis</i>	<i>Charadrius falklandicus</i>
<i>Notocotylus stagnicola</i>	<i>Charadrius semipalmatus</i>
<i>Odhneria odhneri</i>	<i>Charadrius falklandicus</i> , <i>C. wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Paramaritimopsis solielangi</i>	<i>Charadrius nivosus</i> (and <i>alexandrinus</i> ), <i>C. semipalmatus</i> , <i>Pluvialis squatarola</i>
<i>Paramonostomum actidis</i>	<i>Charadrius hiaticula</i> , <i>C. semipalmatus</i> , <i>C. wilsonia</i>
<i>Parorchis holotestis</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Plagiorchis vitellatus</i>	<i>Charadrius vociferous</i>
<i>Probolocoryphe glandulosa</i>	<i>Pluvialis squatarola</i>
<i>Pseudospelotrema charadrii</i>	<i>Charadrius wilsonia</i>
<i>Psilochasmus</i> sp.	<i>Pluvialis squatarola</i>

**Table II.** Trematode parasite-host list for shorebird family Charadriidae of the Americas

Parasite	Host
<i>Spelotrema excellens</i>	<i>Charadrius</i> sp.
<i>Stephanoprora</i> sp.	<i>Pluvialis squatarola</i>
<i>Stomylotrema fastosum</i>	<i>Pluvialis squatarola</i>
<i>Stomylotrema tagax</i>	<i>Vanellus chilensis</i>
<i>Stomylotrema vicarium</i>	<i>Charadrius vociferous</i> , <i>Vanellus chilensis</i>
<i>Tanaisia fedtschenkoi</i>	<i>Charadrius</i> sp., <i>C. vociferous</i>
<i>Tanaisia valida</i>	<i>Charadrius wilsonia</i>
<i>Transcoelom</i> sp.	<i>Charadrius vociferous</i>
<i>Uvitellina macroisophaga</i>	<i>Charadrius vociferous</i>
<i>Uvitellina psuedocotylea</i>	<i>Charadrius vociferous</i>
<i>Zygocotyle lunata</i>	<i>Charadrius wilsonia</i>

**Table III.** Cestode parasite-host list for shorebird family Charadriidae from the Americas

Parasite	Host
<i>Anomotaenia bacilligera</i>	<i>Charadrius vociferous</i>
<i>Anomotaenia ericetorum</i>	<i>Pluvialis squatarola</i>
<i>Anomotaenia filovata</i>	<i>Charadrius vociferous</i>
<i>Aploparaksis brachyphallos</i>	<i>Charadrius hiaticula</i>
<i>Aploparaksis diagonalis</i>	<i>Pluvialis squatarola</i>
<i>Aploparaksis</i> sp.	<i>Charadrius vociferous</i>
<i>Choanotaenia macracantha</i>	<i>Charadrius vociferous</i>
<i>Choanotaenia</i> sp.	<i>Charadrius vociferous</i>
<i>Gyrocoelia crassa</i>	<i>Charadrius collaris</i>
<i>Gyrocoelia fuhrmani</i>	<i>Charadrius collaris</i>
<i>Gyrocoelia miligani</i>	<i>Charadrius nivosus</i> (and <i>alexandrinus</i> ), <i>C. vociferous</i>
<i>Gyrocoelia pagollae</i>	<i>Charadrius wilsonia</i>
<i>Gyrocoelia perversa</i>	<i>Vanellus chilensis</i>
<i>Hymenolepis clandestina</i>	<i>Pluvialis squatarola</i>
<i>Hymenolepis collariella</i>	<i>Charadrius collaris</i>
<i>Hymenolepis hughesi</i>	<i>Charadrius collaris</i> , <i>C. melodus</i> , <i>C. semipalmatus</i>
<i>Infula macrophallus</i>	<i>Vanellus chilensis</i>
<i>Infula</i> sp.	<i>Vanellus chilensis</i>
<i>Kowalewskiella cingulifera</i>	<i>Pluvialis squatarola</i>
<i>Liga brevis</i>	<i>Pluvialis squatarola</i>
<i>Liga</i> sp.	<i>Pluvialis squatarola</i>
<i>Megalacanthus macracantha</i>	<i>Vanellus chilensis</i>
<i>Megalacanthus</i> sp.	<i>Charadrius vociferous</i>
<i>Monopylidium</i> sp.	<i>Charadrius vociferous</i>
<i>Nadejdolepis litoralis</i>	<i>Charadrius nivosus</i> (and <i>alexandrinus</i> )
<i>Nadejdolepis paranitidulans</i>	<i>Charadrius nivosus</i> (and <i>alexandrinus</i> )
<i>Paraliga charadrii</i>	<i>Charadrius semipalmatus</i>
<i>Paraprogynotaenia jimenezi</i>	<i>Charadrius wilsonia</i>
<i>Progynotaenia americana</i>	<i>Charadrius melodus</i> , <i>C. semipalmatus</i> , <i>C. vociferous</i> , <i>Pluvialis dominica</i>
<i>Proterogynotaenia neoarctica</i>	<i>Charadrius vociferous</i>
<i>Proterogynotaenia odhneri</i>	<i>Charadrius vociferous</i>
<i>Proterogynotaenia texanum</i>	<i>Pluvialis squatarola</i>
<i>Proterogynotaenia variabilis</i>	<i>Pluvialis squatarola</i>
<i>Schistocephalus solidus</i>	<i>Pluvialis squatarola</i>
<i>Shiptyia inermis</i>	<i>Charadrius nivosus</i> (and <i>alexandrinus</i> )
<i>Taenia charadrii</i>	<i>Charadrius collaris</i>
<i>Trichocephaloides beauporti</i>	<i>Pluvialis squatarola</i>
<i>Wardium squatarolae</i>	<i>Pluvialis squatarola</i>

**Table IV.** Nematode parasite-host list for shorebird family Charadriidae of the Americas

Parasite	Host
<i>Ancyracanthopsis coronata</i>	<i>Vanellus chilensis</i>
<i>Ancyracanthopsis winegardi</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Aprocta ptiloscelidis</i>	<i>Vanellus resplendens</i>
<i>Capillaria contorta</i>	<i>Charadrius vociferous</i> , <i>Charadrius</i> sp.
Capillariidae	<i>Vanellus chilensis</i>
<i>Chevreuxia americana</i>	<i>Charadrius melodus</i> , <i>C. semipalmatus</i> , <i>C. vociferous</i> , <i>Pluvialis squatarola</i>
<i>Chevreuxia</i> sp.	<i>Charadrius vociferous</i>
<i>Chevreuxia vanelli</i>	<i>Charadrius vociferous</i>
<i>Desmidocercella numidica</i>	<i>Pluvialis squatarola</i>
<i>Dispharynx nasuta</i>	<i>Charadrius vociferous</i> , <i>Vanellus chilensis</i>
<i>Dispharynx spiralis</i>	<i>Charadrius vociferous</i>
<i>Eucoleus trilobus</i>	<i>Pluvialis squatarola</i>
<i>Eulimdana lari</i>	<i>Charadrius hiaticula</i>
<i>Eulimdana sonni</i>	<i>Charadrius hiaticula</i>
<i>Heterakis psophiae</i>	<i>Vanellus chilensis</i>
<i>Oxyntema</i> sp.	<i>Oreopholus ruficollis</i>
<i>Oxyspirura matogrosensis</i>	<i>Vanellus</i> sp.
<i>Oxyspirura</i> sp.	<i>Charadrius vociferous</i>
<i>Porrocaecum ensicaudatum</i>	<i>Charadrius</i> sp., <i>Pluvialis dominica</i>
<i>Porrocaecum falklandicus</i>	<i>Charadrius modestus</i>
<i>Porrocaecum semiteres</i>	<i>Pluvialis dominica</i>
<i>Schistorophus laciniatus</i>	<i>Charadrius vociferous</i>
<i>Sciadiocara bihamata</i>	<i>Pluvialis squatarola</i>
<i>Sciadiocara umbellifera</i>	<i>Charadrius collaris</i> , <i>C. wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Skrjabinocerca prima</i>	<i>Charadrius vociferous</i> , <i>Pluvialis squatarola</i>
<i>Skrjabinoclava bartlettiae</i>	<i>Pluvialis squatarola</i>
<i>Skrjabinoclava horrida</i>	<i>Charadrius semipalmatus</i> , <i>C. wilsonia</i>
<i>Skrjabinoclava morrisoni</i>	<i>Charadrius semipalmatus</i>
<i>Skrjabinoclava pusillae</i>	<i>Charadrius semipalmatus</i> , <i>C. wilsonia</i>
<i>Skrjabinoclava semipalmatae</i>	<i>Charadrius semipalmatus</i> , <i>C. wilsonia</i>
<i>Skrjabinoclava</i> sp.	<i>Charadrius semipalmatus</i>
<i>Skrjabinoclava tupacincal</i>	<i>Charadrius semipalmatus</i> , <i>Pluvialis squatarola</i>
<i>Skrjabinoclava wilsonae</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>
Spirurid larvae	<i>Charadrius vociferous</i>
Spiruroidean nematode	<i>Charadrius vociferous</i>
<i>Stellocaronema skrjabini</i>	<i>Charadrius collaris</i> , <i>C. semipalmatus</i> , <i>C. vociferous</i>
<i>Streptocara</i> sp.	<i>Charadrius vociferous</i> , <i>Pluvialis squatarola</i>
<i>Strongyloides</i> sp.	<i>Charadrius vociferous</i>
<i>Synhimantus nasuta</i>	<i>Vanellus chilensis</i>
<i>Tetrameres megaphasmiata</i>	<i>Charadrius falklandicus</i>
<i>Tropisurus nouveli</i>	<i>Charadrius wilsonia</i>
<i>Viktorocara capillaris</i>	<i>Charadrius semipalmatus</i> , <i>C. vociferous</i> , <i>C. wilsonia</i> , <i>Pluvialis squatarola</i>
<i>Viktorocara limosae</i>	<i>Charadrius semipalmatus</i> , <i>Pluvialis squatarola</i>
<i>Viktorocara schejkini</i>	<i>Charadrius wilsonia</i> , <i>Pluvialis squatarola</i>

**Table V.** Acanthocephala parasite-host list for shorebird family Charadriidae of the Americas

Parasite	Host
Acanthocephalan larvae	<i>Charadrius vociferous</i>
<i>Arythmorhynchus comptus</i>	<i>Pluvialis dominica</i>
<i>Centrorhynchus</i> sp.	<i>Vanellus chilensis</i>
Gigantorhynchida	<i>Vanellus chilensis</i>
<i>Mediorhynchus orientalis</i>	<i>Pluvialis dominica</i>
<i>Mediorhynchus papillosus</i>	<i>Charadrius vociferous</i>
<i>Mediorhynchus robustus</i>	<i>Charadrius vociferous</i>
<i>Mediorhynchus</i> sp.	<i>Vanellus chilensis</i>
<i>Plagiorhynchus charadrii</i>	<i>Charadrius semipalmatus</i> , <i>Pluvialis dominica</i>
<i>Plagiorhynchus crassicolle</i>	<i>Charadrius wilsonia</i>
<i>Plagiorhynchus</i> sp.	<i>Vanellus chilensis</i>
<i>Polymorphus magnus</i>	<i>Pluvialis squatarola</i>
<i>Polymorphus minutus</i>	<i>Charadrius vociferous</i>

**Tables VI.** Summary data compiled from Tables I–V and Literature Cited**VI. A. Hosts and number of species**

Host (n = 21)	Trematode	Cestode	Nematode	Acanthocephala	Total	%
<i>Charadrius vociferous</i>	15	11	15	4	45	23
<i>Pluvialis squatarola</i>	14	11	14	1	40	20
<i>Charadrius wilsonia</i>	16	2	9	1	28	14
<i>Charadrius semipalmatus</i>	11	3	10	1	25	13
<i>Vanellus chilensis</i>	8	4	5	4	21	11
<i>Charadrius collaris</i>	0	5	2	0	7	4
<i>Pluvialis dominica</i>	1	1	2	3	7	4
<i>Charadrius nivosus</i> (and <i>alexandrinus</i> )	1	4	0	0	5	3
<i>Charadrius</i> sp.	3	0	2	0	5	3
<i>Charadrius hiaticula</i>	1	1	2	0	4	2
<i>Charadrius melodus</i>	1	2	1	0	4	2
<i>Charadrius falklandicus</i>	2	0	1	0	3	2
<i>Charadrius modestus</i>	0	0	1	0	1	1
<i>Oreopholus ruficollis</i>	0	0	1	0	1	1
<i>Pluvialis fulva</i>	1	0	0	0	1	1
<i>Vanellus resplendens</i>	0	0	1	0	1	1
<i>Vanellus</i> sp.	0	0	1	0	1	1
<i>Charadrius alticola</i>	0	0	0	0	0	0
<i>Charadrius montanus</i>	0	0	0	0	0	0
<i>Plegadis mitchellii</i>	0	0	0	0	0	0
<i>Vanellus cayanus</i>	0	0	0	0	0	0
	74	44	67	14	199	100%

**VI. B. Number and percentage of helminth species for the four taxa**

	Number of helminth species	Percent
Trematodes	58	38
Cestodes	38	25
Nematodes	44	29
Acanthocephala	13	9
Total	153	100%

**Tables VI.** (cont.) Summary data compiled from Tables I–V and Literature Cited

**VI. C. Geographic locations of infected hosts**

Location	Number of infected hosts
USA	144
Canada	59
South America	44
Puerto Rico	17
Alaska	12
Central America	12
Cuba	10
North America	7
Guadeloupe	6
Hawaii	4
Mexico	3
Antigua	1
West Indies	1

**Note:** American states and Canadian provinces are summed under USA and Canada, respectively.

**VI. D. Host-parasite citations per decade**

Decade	Number of citations
1930–39	1
1940–49	2
1950–59	9
1960–69	14
1970–79	12
1980–89	7
1990–1999	19
2000–2009	8
2010–2020	6



## Literature Cited

- Amin, O. M., A. G. Canaris, and J. M. Kinsella. 1999. A taxonomic reconsideration of the genus *Plagiorhynchus* s. lat. (Acanthocephala: Plagiorhynchidae), with descriptions of South African *Plagiorhynchus* (*Prosthorhynchus*) *cylindraceus* from shore birds and *P. (P.) malayensis*, and a key to the species of the subgenus *Prosthorhynchus*. *Journal of Helminthology* 66:123–132.
- Anderson, R. C., P. L. Wong, and C. M. Bartlett. 1996. The Acuarioid and Habronematoid nematodes (Acuarioidea, Habronematoidea) of the upper digestive tract of waders: a review of observations on their host and geographic distributions and transmission in marine environments. *Parasite* 4:303–312.
- Avancini, L. F. 2009. Identification of helminths and arthropods in *Vanellus chilensis* (Molina, 1782) (Charadriiformes: Charadriidae), lapwing in the south region of the Rio Grande do Sul state. MS thesis. Universidade Federal De Pelotas, Pelotas, Brazil. 58 pp.
- Baer, J. G. 1940. Some avian tapeworms from Antigua. *Parasitology* 32:174–197.
- Bartlett, C. M. 1992. New, known, and unidentified species of *Eulimdana* (Nematoda): additional information on biologically unusual filarioids of charadriiform birds. *Systematic Parasitology* 23:209–230.
- Barus, V., and N. L. Hernandez. 1971. Nemátodos Parásitos de Aves en Cuba. Parte IV. serie Poeyana, Instituto de Biología, Academia de Ciencias de Cuba 88:1–75.
- Blaylock, R. B. 1989. Metazoan parasite community composition and structure of killdeer, *Charadrius vociferous* L., along the upper Rio Grande Valley. Unpublished thesis. University of Texas at El Paso, Texas. 105 pp.
- Bona, F. V. 1994. Family Dilepididae Ralliet & Henry, 1909. In: Keys to the cestode parasites of vertebrates. Ed. by L. F. Khalil, A. Jones, and R. A. Bray. CAB International.
- Bondarenko, S. K., and V. I. Kontrimavichus. 1999. The helminth fauna of Charadriiformes in Alaska. *Zoologicheskii zhurnal* 78:643–653.
- Byrd, E. E., and J. F. Denton. 1950. The helminth parasites of birds. I. A review of the trematode genus *Tanasia* Skrjabin, 1924. *American Midland Naturalist* 43:32–57.
- Caballero, C. E., and H. N. Ibáñez. 1970. Estudios helminthologicos de la Republica del Peru. I. Dos especies de trematoda de la familia Microphallidae Travassos, 1920 que parasitan a Aves. *Anales del Instituto de Biología, Universidad Nacional Autónoma México Zoología* 41:29–38.
- Cable, R. M., and M. E. Myers. 1956. A dioecious species of *Gyrocoelia* (Cestoda: Acoelidae) from the naped plover. *Journal of Parasitology* 42:510–515.
- Cable, R. M., R. S. Connor, and J. E. Balling. 1960. Digenetic trematodes of Puerto Rico. *Scientific Survey of Porto Rico and the Virgin Islands* 17:187–255.
- Canaris, A. G., and J. M. Kinsella. 2000. Helminth parasites in six species of shorebirds (Charadrii) from Bristol Bay, Alaska. *Comparative Parasitology* 67:250–252.
- Canaris, A. G., and J. M. Kinsella. 2001. Helminth parasites of six species of shorebirds (Charadrii) from the coast of Belize. *Memórias do Instituto Oswaldo Cruz* 96:827–830.
- Capasso, S., V. D'Amico, and J. I. Diaz. 2017. *Odhneria odhneri* Travassos, 1921 (Trematoda: Microphallidae) in migrant shorebirds from Patagonia, Argentina. *Revista Argentina de Parasitology* 6:15–20.
- Chesser, R. T., Burns, K. J., Cicero, C., Dunn, J. L., Kratter, A. W., Lovette, I. J., Rasmussen, P. C., Remsen, J. V., Stotz, D. F., and Winker, K. 2019. Sixtieth supplement to the American Ornithological Society's check-list of North American Birds. *The Auk*. 20:1–23.
- Ching, H. L. 1965. Systematic notes on some North American microphallid trematodes. *Proceedings of the Helminthological Society of Washington*. 32:138–140.
- Clark, D. T. 1952. Three new dilepidid cestodes, *Dictymetra numenii* n. gen. n. sp., *Dictymetra paranumenii* n. sp., and *Anomotaenia filovata* n. sp. *Proceedings of the Helminthological Society of Washington* 19:18–27.
- Coil, W. H. 1956. Two new hymenolepis cestodes from Mexican birds with observations on *Hymenolepis crocethiae* Webster, 1947. *Journal of Parasitology* 42:584–587.
- Coil, W. H. 1963. The genera *Gyrocoelia* Fuhrmann, 1899 and *Infula* Burt, 1939 with observations on the histochemistry of egg membranes. *Proceedings of the Helminthological Society of Washington* 30:111–117.
- Coil, W. H., and R. Heard. 1966. *Levenseniella carteretensis* sp. nov., a microphallid trematode from the Wilson Plover, *Charadrius wilsonia*. *Proceedings of the Helminthological Society of Washington* 33:54–56.
- Cremonte, F. M., C. Digiani, L. O. Bala, and G. T. Navone. 2001. *Tetrameres (Tetrameres) megaphasmiata* n. sp. (Nematoda: Tetrameridae), a parasite of the two-banded plover, *Charadrius falklandicus*, and white-rumped sandpiper, *Calidris fuscicollis* from Patagonia, Argentina. *Journal of Parasitology* 87:148–151.
- Deblock, S., and A. G. Canaris. 2000. Trois *Nadejdolepis* Spasskii & Spasskaya, 1954 (Cestoda: Hymenolepididae) parasites de Charadrii (Aves) du Bélize. *Systematic Parasitology* 47:193–201.
- Deblock, S., and F. Rosé. 1962. Les *Hymenolepis* (sensu lato) de Charadriiformes. *Annals Parasitologie Humaine et Comparée* 37:767–847.
- del Valle, M. T., and A. Coy-Otero. 1990. New records of helminths in Cuban birds. *Poeyana, La Habana* 401:1–4.

- Didyk, A. S., and M. D. B. Burt. 1998. *Paraliga charadrii* n. sp. (Cestoda: Dilepididae) from the semipalmated plover, *Charadrius semipalmatus* Bonaparte (Aves: Charadriiformes). *Journal of Parasitology* 84:828–830.
- dos Santos, L. L., C. Silveira Mascarenhas, P. R. Silveira-dos Santos, and N. A da Rosa-Farias. 2020. Helminth fauna of *Passer domesticus* (Passeriformes: Passeridae) in the southern extreme of Brazil. *Revista Mexicana de Biodiversidad* 91:(2020):19 Mayo.
- Doss, M. A., and M. M. Farr. 1969a. Trematoda and trematode diseases. Part 12: Hosts: genera A–L. Index-Catalogue of Veterinary Zoology. United States Government Printing Office, Washington. 377 pp.
- Doss, M. A., and M. M. Farr. 1969b. Trematoda and trematode diseases. Part 12: Hosts: genera M–Z. Index-Catalogue of Veterinary Zoology. United States Government Printing Office, Washington. 694 pp.
- Drago, F. B., V. Núñez, and M. D. Díaz. 2020. Checklist of the nematodes of wild birds of Argentina. *Revue suisse de Zoologie* 127:43–46.
- Eckman, M. K. 1968. Helminth parasites of the killdeer in Colorado. *Journal of Parasitology* 54:1143.
- Fernandes, B. M. M. 1976. Sobre as espécies brasileiras da família Cyclocoelidae Kossack 1911 (Trematoda, Cyclocoelidae). *Memórias do Instituto Oswaldo Cruz* 74:289–294.
- Fernandes, B. M. M., J. Marcia, M. Q. Cardenas, and S. Cohen. 2015. South American trematodes parasites of birds and mammals. Edition: 1 Oficina do Livro. 550 pp.
- Forrester, D. J., and M. G. Spalding. 2003. Parasites and Diseases of Wild Birds in Florida. University Press of Florida, Gainesville. 1152 pp.
- Gibson, G. G. 1972. *Sciadiocara denticulata* n. sp. (Acuariidae) from *Actitis macularia* (L.) and other nematodes from spotted sandpiper and black bellied plover. *Canadian Journal of Zoology* 50:131–136.
- González-Acuña, D., P. Olmedo, and A. Cicchino. 2008. Parásitos de *Vanellus chilensis* (Aves, Charadriidae) en Chillán, centrosur de Chile. *Boletín Chileno de Chile* 14:36–48.
- Graber, M., and J. Euzeby. 1976a. *Trichocephaloides beauporti* n. sp. Cestodes nouveau des Charadriiformes et de certains Passériformes de la Guadeloupe. *Annales de Parasitologie (Paris)* 51:189–198.
- Graber, M., and J. Euzeby. 1976b. Deuxième enquête parasitologique en Guadeloupe. Note 2: Les cestodes des oiseaux aquatiques. *Bulletin de la Societe des Sciences Veterinaires et de Medecine Comparee de Lyon* 78:153–171.
- Hannum, C. A., and B. E. Wilson. 1934. *Uvitellina macroisophaga* n. sp. from the killdeer. *Transactions of the American Microscopical Society* 53:245–250.
- Hartwich, G., and I. Kiliass. 1992. Die typen der Cercomeromorphae (Platyhelminthes) des Zoologischen Museums in Berlin. *Mitteilungen aus Zoologischen Museum in Berlin* 68:209–248.
- Hayman, P., J. Marchant, and T. Prater. 1986. Shorebirds: An identification guide to the waders of the world. Houghton Mifflin Company, Boston. 412 pp.
- Heard III, R. W. 1968. *Levinseniella hunteri* sp. nov. a new species of microphallid trematode from the Wilson's plover, *Charadrius wilsonia* Ord. *Proceedings of the Helminthological Society of Washington* 35:41–43.
- Hoberg, E. P. 1986. *Eulimdana rauschorium* n. sp., a filarioid nematode (Lemdaninae) from *Larus dominicanus* in Antarctica, with comments on Evolution and Biogeography. *Journal of Parasitology* 72:755–761.
- Huey, R. 1985. *Proterogynotaenia texanum* sp. n. (Cestoidea: Progynotaeniidae) from the Black-bellied Plover, *Pluvialis squatarola*. *Proceedings of the Helminthological Society of Washington* 52:41–43.
- Jensen, D. N. 1971. *Eucotyle castenia* n. sp. and other members of the family Eucotylidae from birds in British Columbia. *Canadian Journal of Zoology* 49:1053–1058.
- Loftin, H. 1960. An annotated check-list of trematodes and cestodes and their vertebrate hosts from Northwest Florida. *Florida Academy of Sciences Quarterly Journal* 23:302–314.
- López, N. S. 1997. Descripción de tremátodos digenéticos del pez *Bascanichthys peninsulæ* (Gilbert, 1891) de las Islas Marías, México. MS thesis, Universidad Autonoma De Nuevo Leon, San Nicolas De Los Garza, Nuevo Leon. 55 pp.
- Lunaschi, L. I., F. Cremonte, and F. B. Drago. 2007. Checklist of digenean parasites of birds from Argentina. *Zootaxa* 1403:1–36.
- Macko, J. K. 1969. Further knowledge on the variability of *Cyclocoelum obscurum* (Leidy, 1887) Trematoda. *Biologia* 24:606–616.
- Macko, J. K., and M. Spakulova. 1998. Taxonomic study of *Progynotaenia odhneri* isolated from *Charadrius vociferous ternominatus* from Cuba. *Acta Parasitologica* 43:59–63.
- Mahon, J. 1956. On a collection of avian cestodes from Canada. *Canadian Journal of Zoology* 34:104–109.
- Martorelli, S. R., and V. A. Ivanov. 1996. Host-induced and geographical variation in *Levinseniella cruzi* Travassos, 1920 (Digenea: Microphallidae). *Journal of the Helminthological Society of Washington* 63:130–135.
- Overstreet, R. M., and R. W. Heard III. 1995. A new species of *Megalophallus* (Digenea: Microphallidae) from the clapper rail, other birds, and a littoral isopod *Ligia baudiniana*. *Canadian Journal of Fisheries and Aquatic Sciences* 52:98–104.

- Paulson, D. 2005. Shorebirds of North America. Princeton University Press, Princeton, NJ. 361 pp.
- Rêgo, A. A. 1968. Sobre três cestódeos de aves Charadriiformes. Memórias do Instituto Oswaldo Cruz 66:107–115.
- Rietschel, G., and B. Werding. 1978. Trematodes of birds from northern Colombia. Zeitschrift für Parasitenkunde 57:57–82.
- Riggins, M. A. 1953. A study of the helminth parasites of certain shore inhabiting birds from Lake Texoma, Oklahoma. Proceedings of the Oklahoma Academy of Science 34:57–59.
- Rysavy, B. 1996. Nuevas especies de Céstodos (Cestoda: Cyclophyllidae) de aves para Cuba. Poeyana, Serie A 19:1–22.
- Schmidt, G. D., and R. E. Kuntz. 1977. Revision of *Mediorhynchus* Van Cleave 1916 (Acanthocephala) with a key to species. The Journal of Parasitology 63:500–507.
- Silveira, T. S., and C. Calegario-Marques. 2016. Helminth parasite diversity discloses age and sex differences in the foraging behavior of southern lapwings (*Vanellus chilensis*). Austral Ecology 41:465–591.
- Sinclair, N. R. 1971. A review of *Odhneria odhneri* Travassos, 1921 (Trematoda: Microphallidae). Journal of Parasitology 57:980–982.
- Tavares, L. E. R., K. M. Campião, R. Costa-Pereira, and F. Paiva. 2017. Helminth endoparasites of wildlife vertebrates in Mato Grosso do Sul, Brazil. Iheringia Série Zoologia 107: (suppl.)
- Thatcher, V. E. 1993. Trematódeos neotropicais. Instituto Nacional de Pesquisas da Amazonia. Presidencia de la República. Ministerio de Ciencia e Tecnologia. Calderaro. 533 pp.
- Van Cleave, H. J., and R. Rausch. 1950. A new species of the Acanthocephalan genus *Arythmorhynchus* from sandpipers of Alaska. Journal of Parasitology 36:278–283.
- van Riper, S. G., and C. van Riper. 1984. A summary of known parasites and diseases recorded from the Avifauna of the Hawaiian Islands. Pages 298–357. In: Hawaii's terrestrial ecosystems preservation and management. Ed. by C. P. Stone and J. M. Scott. Cooperative National Park Resources Studies Unit, University of Hawaii, Honolulu.
- Vicente, J. J., H. O. Rodrigues, D. C. Gomes, and R. M. Pinto. 1995. Nematóides do Brasil. Parte IV: nematóides de aves. Revista Brasileira de Zoologia 12:273.
- Weatherly, N. F., and A. G. Canaris. 1961. Some parasites of Washington and Oregon vertebrates. Journal of Parasitology 47:230.
- Webster, J. D. 1947. Studies on the genus *Hymenolepis*, with descriptions of three new species. Journal of Parasitology 33:99–106.
- Webster, J. D. 1951. Systematic notes on the North American Acoelidae (Cestoda). Journal of Parasitology 37:111–118.
- Whittaker, F. H., G. D. Schmidt, and J. G. Diaz. 1970. Helminth parasites of some birds in Puerto Rico. Proceedings of the Helminthological Society of Washington 37:123–124.
- Winkler, D. W., S. M. Billerman, and I. J. Lovette. 2020. Plovers and Lapwings (Charadriidae), version 1.0. In: Birds of the World. Ed. by S. M. Billerman, B. K. Keeney, and T. S. Schulenberg. Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi/10.2173/bow.charad1.01>
- Wong, P. L., and R. C. Anderson. 1983. Revision of the genera *Cordonema* Schmidt and Kuntz, 1972 and *Skrjabinochlava* Sobolev, 1943 (Nematoda: Acuarioidea). Canadian Journal of Zoology 61:339–348.
- Wong, P. L., and R. C. Anderson. 1987. New and described species of *Skrjabinochlava* Sobolev, 1943 (Nematoda: Acuarioidea) of the proventriculus of nearctic waders (Aves: Charadriiformes) with a review of the genus and key to the species. Canadian Journal of Zoology 65:2760–2779.
- Wong, P. L., and R. C. Anderson. 1988. *Skrjabinochlava bartlettiae* n. sp. (Nematoda: Acuarioidea) from the black-bellied plover (*Pluvialis squatarola*) (L.) (Charadriiformes: Charadriidae). Canadian Journal of Zoology 66:2202–2264.
- Wong, P. L., and R. C. Anderson. 1990a. *Ancyracanthopsis winegardi* n. sp. (Nematoda: Acuarioidea) from *Pluvialis squatarola* (Aves: Charadriidae) and *Acyracanthus heardi* n. sp. from *Rallus longirostris* (Aves: Rallidae), and a review of the genus. Canadian Journal of Zoology 68:1297–1306.
- Wong, P. L., and R. C. Anderson. 1990b. Host and geographic distribution of *Skrjabinochlava* spp. (Nematoda: Acuarioidea) in Nearctic shorebirds (Aves: Charadriiformes), and evidence for transmission in marine habitats in staging and wintering areas. Canadian Journal of Zoology 68:2539–2552.
- Wong, P. L., and R. C. Anderson. 1991. Distribution of gizzard nematodes (Habronematoidea, Acuarioidea) of new world shorebirds (Charadriiformes), with special reference to localities of transmission. Canadian Journal of Zoology 69:2579–2588.
- Wong, P. L., C. M. Bartlett, L. N. Measures, M. A. McNeill, and R. C. Anderson. 1990. Nematodes of Birds: Synopsis of the Parasites of Vertebrates of Canada. Queen's Printer, Edmonton, AB, Canada. 44 pp.
- Yamaguti, S. 1959. Systema helminthum. Vol. II. The cestodes of vertebrates. Interscience Publishers, New York. 860 pp.
- Yamaguti, S. 1961. Systema helminthum. Vol. III. The nematodes of vertebrates. Part 1 Interscience Publishers, New York. 679 pp.
- Yamaguti, S. 1971. Synopsis of Digenetic Trematodes of Vertebrates. Vol. 1. Keigaku Publishing Company, Tokyo. 1074 pp.